

PUMP DIMENSIONS

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM5-3	312	227	539	160	109	28
OVM5-4	339	274	613	160	109	40
OVM5-5	372	281	653	180	122	43
OVM5-7	433	274	707	180	122	59
OVM5-9	487	274	761	180	122	41
OVM5-14	575	318	893	232	147	57
OVM5-16	683	318	1001	263	162	59
OVM5-18	783	393	1176	263	162	80
OVM5-20	810	393	1203	263	162	82
OVM5-22	864	393	1257	263	162	84

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM5-3	312	227	539	160	109	28
OVM5-4	339	274	613	160	109	40
OVM5-5	372	281	653	180	122	43
OVM5-7	433	274	707	180	122	59
OVM5-9	487	274	761	180	122	41
OVM5-14	575	318	893	232	147	57
OVM5-16	683	318	1001	263	162	59
OVM5-18	783	393	1176	263	162	80
OVM5-20	810	393	1203	263	162	82
OVM5-22	864	393	1257	263	162	84

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM10-2	355	274	629	180	122	47
OVM10-3	355	274	629	180	122	51
OVM10-5	455	318	773	222	147	73
OVM10-7	485	318	803	222	147	77
OVM10-8	567	393	960	263	162	91
OVM10-9	597	393	990	263	162	102
OVM10-10	627	393	1020	263	162	107
OVM10-12	687	393	1080	263	162	134
OVM10-14	849	393	1242	263	162	136
OVM10-17	939	395	1334	263	162	140

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM15-2	406	318	724	232	147	74
OVM15-3	451	289	740	232	147	84
OVM15-5	518	393	911	263	162	126
OVM15-6	563	395	958	263	162	128
OVM15-8	785	395	1180	263	162	132
OVM15-10	875	513	1388	312	234	154
OVM15-12	965	513	1478	312	234	176

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM20-2	318	324	724	132	147	74
OVM20-3	473	393	866	223	147	105
OVM20-4	518	395	913	263	162	126
OVM20-5	620	395	1015	263	162	128
OVM20-6	695	395	1090	263	162	162
OVM20-8	785	513	1298	312	234	154
OVM20-10	875	513	1388	312	234	168

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM32-2	574	395	969	263	112	112
OVM32-3-1	748	395	1143	295	162	146
OVM32-4	888	513	1401	324	174	178
OVM32-5-2	958	531	1489	354	231	231
OVM32-6	1015	571	1586	354	254	250
OVM32-7	1098	610	1708	354	254	254
OVM32-9	1130	618	1748	354	258	256
OVM32-10-1	1238	610	1848	354	258	258

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM45-1	559	395	954	266	132	146
OVM45-2-1	744	395	1139	266	163	162
OVM45-2-2	744	415	1159	324	164	182
OVM45-3-2	824	510	1334	324	232	235
OVM45-4-2	984	570	1554	354	305	325
OVM45-5-2	1024	570	1594	354	350	356
OVM45-6	1104	670	1774	404	358	358
OVM45-7	1144	670	1814	404	360	360

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM64-1-1	561	393	954	263	132	132
OVM64-2-1	668	395	1063	263	156	156
OVM64-2-2	750	407	1157	324	195	195
OVM64-2-4	750	455	1205	324	245	245
OVM64-3	833	500	1333	354	305	305
OVM64-4	915	570	1485	354	350	369
OVM64-5-2	998	670	1668	404	372	372

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM95-1-1	681	480	1161	318	290	195
OVM95-1-2	681	510	1191	318	290	209
OVM95-2-1	773	570	1343	354	320	265
OVM95-2-2	773	610	1383	354	320	280
OVM95-3-1	865	675	1540	400	365	360
OVM95-3-2	865	675	1540	400	365	360
OVM95-4	957	700	1657	457	457	450
OVM95-5-1	957	700	1657	457	457	457
OVM95-5-3	1049	685	1734	457	460	460

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM125-1-1	783	480	1263	318	290	265
OVM125-1-2	783	570	1353	318	290	305
OVM125-2-1	907	610	1517	354	320	375
OVM125-2-2	907	650	1557	354	320	405
OVM125-3-1	1052	725	1777	404	400	410
OVM125-3-2	1052	775	1827	404	400	465
OVM125-4	1052	775	1827	404	400	465
OVM125-5-1	1152	800	1952	404	400	710
OVM125-5-2	1203	800	2003	512	480	820
OVM125-6	1247	800	2047	512	480	855

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM155-1-1	783	525	1308	332	304	232
OVM155-1-2	783	570	1353	354	304	302
OVM155-2-1	930	610	1540	354	304	375
OVM155-2-2	930	650	1580	354	304	405
OVM155-3-1	1051	710	1761	480	480	660
OVM155-3-2	1051	760	1811	480	480	705
OVM155-3-3	1051	760	1811	480	480	705
OVM155-4	1203	800	2003	480	480	845
OVM155-5-1	1325	880	2205	512	480	850
OVM155-5-3	1325	800	2105	512	480	850

MODEL	B1	B2	B1+B2	D1	D2	중량(kg)
OVM185-1-1	858	670	1528	404	350	440
OVM185-1-2	878	690	1568	404	350	440
OVM185-2-1	1012	760	1772	512	420	697
OVM185-3-1	1164	800	1964	512	480	884
OVM185-3-2	1164	800	1964	512	480	1004
OVM185-4-1	1292	1130	2422	558	525	1201
OVM185-4-3	1420	1130	2550	558	525	1298
OVM185-5-1	1548	1130	2678	558	525	1305
OVM185-6-4	1548	1130	2678	558	525	1305

PERFORMANCE TABLE

MODEL	kW	Q (m³/hr)	0	1.4	1.8	2.4	2.8	3	3.6	4.2	4.8	5.2
OVM3-4	0.75	H[m]	43	42	41	40	38	37	33	29.5	24.5	20
OVM3-5	0.75		56	54	51	48.5	45.5	45	37.5	30	24	20
OVM3-8	1.5		86	85	84	81	77	74	65	54	45	36
OVM3-11	1.5		112	111	109	104	99	94	81	66	55	44
OVM3-13	2.2		141	137	135	131	125	120	102	85	71	56
OVM3-15	3.7		174	171	167	161	153	146	125	106	88	70
OVM3-17	3.7		200	194	189	180	172	164	139	115	92	73
OVM3-19	3.7		226	220	214	204	194	185	157	129	104	82
OVM3-21	3.7		250	245	241	232	223	218	199	172	140	117
OVM3-23	3.7		250	250	250	241	232	218	199	172	140	117

MODEL	kW	Q (m³/hr)	0	3	4	5	6	7	8	9	10
OVM5-3	0.75	H[m]	31.8	30.2	29.3	27.6	25.5	22.3	18.8	15.5	11.5
OVM5-4	1.1		40	38.5	37.5	36	34	32	30	26.5	23
OVM5-5	1.5		53.5	50.5	48	46	43.5	40	35.5	30	23
OVM5-7	2.2		80	75	72	67	62	58	52	46	38
OVM5-9	2.2		96.5	91.5	87.5	85	81.5	77	71	65	54
OVM5-14	3.7		151	144	140	136	132	126	119	112	102
OVM5-16	5.5		172	164	159	153	148	141	134	127	115
OVM5-18	5.5		200	190	185	180	174	168	160	150	134
OVM5-20	5.5		215	206	200	196	190	182	173	162	122
OVM5-22	5.5		236	226	218	208	198	184	164	134	107

MODEL	kW	Q (m³/hr)	0	6	8	10	12	14	16	17
OVM10-2	1.5	H[m]	32	30.2	29	27	23.8	20.2	16	13.5
OVM10-3	2.2		40	39	37.5	36	35	32.5	27.5	25
OVM10-5	3.7		80	75	72	66	62	56	50	45
OVM10-7	3.7		96.5	91.5	87.5	82.5	78	73.5	64.5	60.5
OVM10-8	5.5		120	115	110	105	100	95	88	85
OVM10-9	5.5		145	138	133.5	126.5	119.5	112	104	98
OVM10-10	7.5		163	153	148	141	135	128	120	115
OVM10-12	7.5		197	187	180	169	160	150	136	125
OVM10-14	11		245	217	205	193	180	166	152	134
OVM10-17	11		281	265	253	238	219	194	162	142

MODEL	kW	Q (m³/hr)	0	10	12	14	15	16	18	20	22	24
OVM15-2	3.7	H[m]	38	36.5	36	35	34.5	33.5	32.5	30	27	24.5
OVM15-3	3.7		57	54.5	53.5	53	52.5	51	50	48	45	38
OVM15-5	5.5		100	98	96	94	93	90	88	85	81	75
OVM15-6	7.5		120	118	116	113	112	110	108	105	101	96
OVM15-8	11		161	159	158	156	154	151	147	140	132	124
OVM15-10	15		203	198	194	187	184	182	179	174	167	140
OVM15-12	18.5		239	227	224	221	219	216	212	199	187	172.5

MODEL	kW	Q (m³/hr)	0	13	15	17	20	23	26	29	32	34
OVM20-2	3.7	H[m]	40	38	37.5	35.5	34	32	30	28	25	23
OVM20-3	5.5		60	57.5	57	55	50	48	45	41	38	35
OVM20-4	7.5		91	85	80	76	71	66	60	56	51	45
OVM20-5	11		110	105	100	96	91	85	80	74	69	65
OVM20-6	15		163	155	152	151	147	140	132	123	115	109
OVM20-8	18.5		203	194	190	186	180	174	167	160	150	137
OVM20-10	18.5		203	192	190	186	180	174	167	160	150	137

MODEL	kW	Q (m³/hr)	0	20	24	28	32	36	40	44	48
OVM32-2	7.5	H[m]	56	52	50	48	45	41	37	33	27
OVM32-3-1	11		85	78	75	71	67	61	56	50	40
OVM32-4	15		110	105	100	96	91	85	78	70	60
OVM32-5-2	18.5		141	135	130	125	121	116	110	103	89
OVM32-6	22		160	150	145	140	135	130	123	117	97
OVM32-7	30		227	222	219	217	213	208	199	184	167
OVM32-9	37		250	248	241	236	231	225	212	157	127
OVM32-10-1	30		270	248	241	231	217	201	190	159	133

MODEL	kW	Q (m³/hr)	0	30	35	40	42	45	50	55	60	65
OVM45-1	7.5	H[m]	39	34	33	31.5	30	29	25	22	20	18
OVM45-2-1	11		60	57	55	53	51	48	44	39	35	30
OVM45-2-2	15		74	69	67	65	63	61	57	52	47	42
OVM45-3-2	18.5		89	80	80	78	75	73	69	65	60	55
OVM45-4-2	22		128	125	122	120	116	112	106	100	93	85
OVM45-5-2	30		157	159	156	154	149	146	140	134	128	120
OVM45-6	37		210	225	223	220	217	215	210	202	194	183
OVM45-7	45		237	239	229	219	216	210	204	192	178	165

MODEL	kW	Q (m³/hr)	0	40	50	60	65	70	80	90	100
OVM64-1-1	7.5	H[m]	26	25	23	22	20	19	18	16	15
OVM64-2-1	11		43	37	36	32	31	30	27	24	21
OVM64-2-2	15		54	50	47	44	42	41	37	34	30
OVM64-2-4	22		82	78	74	69	67	65	61	57	53
OVM64-3	30		122	117	112	106	103	100	96	91	85
OVM64-4	37		159	152	150	147	144	141	132	122	112
OVM64-5-2	45		171	172	162	151	144	137	126	112	91

MODEL	kW	Q (m³/hr)	0	60	70	80	90	100	110	120	130	140
OVM95-1-1	11	H[m]	37	34	32	30	28	26	23	20	19	15
OVM95-1-2	15		46	43	40	37	35	32	30	27	25	22
OVM95-2-1	18.5		64	62	58	54	50	47	43	38	36	30
OVM95-2-2	22		82	81	78	74	70	67	64	60	56	53
OVM95-3-1	30		123	121	119	116	114	111	109	106	104	100
OVM95-3-2	37		129	126	119	116	114	111	109	106	104	100
OVM95-4	45		153	151	149	147	145	143	140	136	133	129
OVM95-5-1	55		173	171	165	162	157	154	150	146	141	137
OVM95-5-3	55		193	175	163	154	143	135	130	123	113	92

MODEL	kW	Q (m³/hr)	0	75	80	100	120	140	160	180	190
OVM125-1-1	15	H[m]	38	36	34	31	30	27	25	21	19
OVM125-1-2	20		49	47	45	41	39	36	32	29	27
OVM125-2-1	30		70	68	65	60	58	52	45	37	33
OVM125-2-2	37		90	84	80	75	70	66	59	52	48
OVM125-3-1	45		120	120	115	110	104	97	83	71	65
OVM125-3-2	55		141	139	136	130	120	105	90	76	55
OVM125-4	75		194	193	190	185	178	169	155	130	102
OVM125-5-1	90		222	222	221	219	216	209	200	170	162
OVM125-5-2	110		232	231	230	229	227	222	216	202	195
OVM125-6	110		287	282	281	278	271	259	241	186	166

MODEL	kW	Q (m³/hr)	0	90	120	140	160	180	200	220
OVM155-1-1	18.5	H[m]	48	45	43	41	38	34	29	23
OVM155-1-2	30		79	76	71	68	62	57	52	40
OVM155-2-1	37		90	84	80	74	67	62	56	43
OVM155-2-2	55		111	107	103	100	95	90	83	70
OVM155-3-1	55		111	107	103	100	95	90	83	70
OVM155-3-2	75		151	145	140	136	130	123	116	105
OVM155-3-3	75		151	145	140	136	130	123	116	105
OVM155-4	90		192	187	180	175	165	150	140	130
OVM155-5-1	110		214	207	199	192	181	171	157	146
OVM155-5-3	110		238	225	238	208	190	171	147	116

MODEL	kW	Q (m³/hr)	Q=0	110	120	160	200	240	280	290
OVM185-1-1	37	H[m]	66	62	56	51	45	38	32	25
OVM185-1-2	45		66	62	58	54	48	42	36	29
OVM185-2-1	75		122	116	112	104	95	84	73	64
OVM185-3-1	110		187	182	181	173	160	147	129	119
OVM185-3-2	110		187	182	181	173	160	147	129	119
OVM185-4-1	132		235	231	229	221	209	195	181	170
OVM185-4-3	132		235	231	229	221	209	195	181	170
OVM185-5-1	200		300	294	291	275	256	246	226	215
OVM185-6-4	200		357	349	347	327	292	265	182	168